



Details OF SCHOOL AFFILIATED TO
Central Board of Secondary Education
Details Of The School Filled up **AFFILIATION/OASIS**

Name of Institution KENDRIYA VIDYALAYA
Affiliation Number 200003
State ASSAM
District KAMRUP
Postal Address KHANAPARA GUWAHATI DT- KAMRUP ASSAM
Pin Code 781022
Phone No. with STD Code 0361

Office 2361062 ,
Residence

FAX No
Email kvkhanapara123@rediffmail.com
Website
Year of Foundation 1966
Date of First Opening of School 1/25/2009 12:00:00 AM
Name of Principal/ Head of Institution SANJAY KUMAR
Sex Male
Principal's Educational/Professional Qualifications:
No of Experience (in Years):

Administrative:
Teaching:

Status of The School Senior Secondary
Type of affiliation General
Affiliation Period

From 1/4/2019
To 31/ 3/ 2024

Name of Trust/ Society/ Managing Committee KENDRIYA VIDYALAYA SANGATHAN

- Location of School
- Nature of the School
- Enrolment of the Students
- InfraStructure Details
- Particulars of Teaching Staff
- Physical Infrastructure and Sanitary Conditions
- Facilities

CERTIFICATE OF REGISTRATION UNDER SOCIETIES REGISTRATION ACT XXI OF 1860 (PUNJAB AMENDMENT) ACT 1957 AS EXTENDED TO THE UNION TERRITORY OF D E L H I.

No. S.2884 of 1965 -1966 .

I hereby certify that, *CENTRAL SCHOOLS ORGANIZATION* has this day been registered under the Societies Registration Act XXI of 1860 (Punjab Amendment) Act 1957, as extended to the Union Territory of Delhi.

Given under my hand at DELHI this 15th day of DECEMBER One thousand nine hundred and SIXTY FIVE.

Fee Rs. 50.00 paid.

DHINGRA



(SURENDER KISHORE) REGISTRAR OF SOCIETIES DELHI. 15

No. S/2884/1670

Dated 15-12-1965

From The Registrar of Societies, Old Secretariat, Delhi.

To Shri S.N. Dutt, Under Secy., Central School Units, Room No. 36, N-Block, Ministry of Education, D.D.I.

Regi. * CENTRAL SCHOOLS ORGANIZATION *

Dear Sir,

I am enclosing herewith the certificate of registration of your society named above. Please acknowledge receipt.

Acknowledged. J.S. 12/12

Encl: One Certificate.

DHINGRA

Yours faithfully, (SURENDER KISHORE) REGISTRAR OF SOCIETIES DELHI.



केन्द्रीय विद्यालय खानापारा गुवाहाटी

KENDRIYA VIDYALAYA KHANAPARA, GUWAHATI

(Under Ministry of Education, Govt. of India)

जवाहर नगर- असम, गुवाहाटी, खानापारा, 781022

JAWAHAR NAGAR, GUWAHATI, ASSAM - 781022

दूरभाष /Tel.: 0361-2361062/2367400 वेब/ Web: <https://khanapara.kvs.ac.in>

ई/येम- E-mail: kvkghy@gmail.com, kvkhanapara123@rediffmail.com

(KVS School Code: 1468, CBSE Affiliation No.200003)


75
आज़ादी का
अमृत महोत्सव



TO WHOMSOEVER IT MAY CONCERN

It is certified that Kendriya Vidyalaya Khanapara, Guwahati (Assam) works under Kendriya Vidyalaya Sangathan, New Delhi-An Autonomous Body of Ministry of Education, Govt. of India. Since Vidyalaya is established by the Govt. of India itself, so no NOC (No Objection Certificate) is required from any other institution.

It is also certified that the land/Infrastructure allotted/given to the Vidyalaya by the State Govt./ Central Govt. is being fully utilized for the purpose it is intended.


26.08.2022
(Dr Sanjay Kumar) Principal/प्राचार्य
KV Khanapara/केवी खानापारा
Guwahati-22/गुवाहाटी-22
Principal



केन्द्रीय विद्यालय खानापारा गुवाहाटी

KENDRIYA VIDYALAYA KHANAPARA, GUWAHATI

(Under Ministry of Education, Govt. of India)

जवाहर नगर- असम ,गुवाहाटी ,खानापारा ,781022

JAWAHAR NAGAR, GUWAHATI, ASSAM – 781022

दूरभाष /Tel.: 0361-2361062/2367400 वेब/Web: <https://khanapara.kvs.ac.in>

ई/मेल- E-mail: kvkghy@gmail.com, kvkhanapara123@rediffmail.com

(KVS School Code: 1468, CBSE Affiliation No.200003)

75
आज़ादी का
अमृत महोत्सव



F 201468/112/KVK/2022-23/ 867

Date: 13/03/2023

The Executive Engineer
Assam Aviation Division
CPWD , Guwahati


Sub : Safety certificate of building and Boundary wall -Reg

Sir

With reference to subject stated above this is to state that about 2700 students and staff members are ther in the Vidyalaya . There is need of Safety certificate of building and Boundary wall of K V Khanapara. In this context you are requested to issue a Safety certificate of Vidyalaya building and Boundary wall in greater interest of safety and security of students and staff members at the earliest.

Thanking you .

Yours faithfully


13.03.2023

(Dr. Sanjay Kumar)

Principal


Principal/प्राचार्य

KV Khanapara/केवी खानापारा
Guwahati-22/गुवाहाटी-22

Copy to

- 1 The Deputy Commissioner Kamrup (M) and Chairman VMC K V Khanapara for kind information and necessary action please.
- 2 The Deputy Commissioner, KVS RO Guwahati, for kind information please.

o/c


Principal

Principal/प्राचार्य

Scanned with CamScanner



केन्द्रीय विद्यालय संगठन

केन्द्रीय विद्यालय खानापारा गुवाहाटी
KENDRIYA VIDYALAYA KHANAPARA, GUWAHATI

(Under Ministry of Education, Govt. of India)

जवाहर नगर- असम, गुवाहाटी, खानापारा, 781022

JAWAHAR NAGAR, GUWAHATI, ASSAM - 781022

दूरभाष /Tel.: 0361-2361062/2367400 वेब/ Web: <https://khanapara.kvs.ac.in>

ई/मेल- E-mail: kvkghy@gmail.com, kvkhanapara123@rediffmail.com

(KVS School Code: 1468, CBSE Affiliation No.200003)

75
आज़ादी का
अमृत महोत्सव



Date: 08/05/2023

F.No.201468/112/KVK/2023-24/ 82-85

The Chief Engineer
CPWD, Guwahati


Sub: Safety certificate of Building and Boundary wall –A gentle reminder.

Sir,

Please refer to letter No. 201468/112/KVK/2022-23/867 dated 13/03/2023 through which it was requested to provide safety certificate of the building. This is to state that about 2700 students and staff members are there in the Vidyalaya. There is urgent need of Safety certificate of building and Boundary wall of KV Khanapara. In this context you are requested to issue a Safety certificate of Vidyalaya building and Boundary wall of KV Khanapara in greater interest of safety and security of the students and the staff members at the earliest.

Thanking you.

Yours faithfully



(Dr. Sanjay Kumar) 08.05.2023

Principal
Principal/प्राचार्य
KV Khanapara/केवी खानापारा
Guwahati-22/गुवाहाटी-22

Copy to:

1. The Deputy Commissioner Kamrup (M) and Chairman VMC KV Khanapara for kind information and necessary action please.
2. The Deputy Commissioner, KVS RO Guwahati, for kind information please.
3. The Executive engineer, AAD, CPWD Guwahati kind information and necessary action please.

o/v


Principal 08.05.2023
Principal/प्राचार्य
KV Khanapara/केवी खानापारा
Guwahati-22/गुवाहाटी-22



सत्यमेव जयते

GOVT. OF ASSAM
OFFICE OF THE DIRECTOR
FIRE & EMERGENCY SERVICES, GUWAHATI
ASSAM



UBIN : 61B/973605/ALKPK0014B/12/2022

UAIN : FIRNOCXII/2023/01862

ACKNOWLEDGEMENT OF RENEWAL NO OBJECTION CERTIFICATE

To,

The Principal
Khanapara, Jawahar Nagar, Guwahati 22,
KAMRUP METRO, Pin 781022

Subject to the provisions of the Govt. OM No. HMB.362/2019/68 dated 28.06.2022, Corrigendum No. HMB.362/2019/71 dated 08.07.2022 & Letter No. HMB.362/2019/72 dated 08.07.2022 and Self Declaration received in prescribed form on dated 28/03/2023, renewal of the Fire Safety No Objection Certificate for the purpose of SCHOOL is hereby granted to the building or premises under the name and style KENDRIYA VIDYALAYA KHANAPARA and as per description below at Dag No. 178, Patta No. Govt allotted land, Mouza Beltola, (Place - Khanapara, Jawahar Nagar, Guwahati, KAMRUP METRO) for a period of 3 YEARS from the date of issue unless the No Objection Certificate has not been cancelled or suspended for non-compliance of any of the conditions of the undertaking submitted by the owner or occupier of the building or premises.

DETAILS OF APPROVED OCCUPATION

S. No.	Floor	Floor Area	Purpose of Utilization
1.	GROUND FLOOR	1074.41 SQM. 1837.741 SQM	SCHOOL
2.	FIRST FLOOR	231.240 SQM. 1928.275 SQM	SCHOOL

Hazard Category: **Low Hazard**

THIS NOC IS VALID UP TO 20/4/2026

Place of issue: **GUWAHATI**

Date of issue : **21/04/2023**

Director of Fire and Emergency Services,
Assam, Guwahati.

CONDITIONS :

1. This N.O.C. is not transferable in respect of name, place and purpose of utilization.
2. There should not be any change or alteration of Trade/purpose of utilization for which this N.O.C. has been issued.
3. There should not be any structural change in the building either horizontally or vertically. There should not also be any change in the existing arrangements.
4. It will be compulsory to obtain fresh Fire Safety No Objection Certificate from Assam Fire & Emergency Services prior to any change in occupation or alteration to building or premises.
5. The Fire Fighting equipments should be in serviceable condition at all times.

भारतीय गैर न्यायिक



INDIA NON JUDICIAL

असम ASSAM


L 704360

AFFIDAVIT

I, **SANJAY KUMAR** s/o Rabindra Prasad Singh aged about 54years do hereby solemnly affirm and declare as under:

1. I say that I am the **Head of Institution of K.V. Khanapara, Guwahati, governed by KVS (HQ), New Delhi** having its registered office at **Guwahati** running and managing the **K.V. Khanapara, Jawahar Nagar, Guwahati, Assam-781022**. I am competent and authorized to swear and submit this affidavit.
2. I say that the above School has up loaded the latest and correct information about **School/Institution** in the OASIS (Online Affiliated School Information System) as on **27/06/2023**.
3. I say that the above School is displaying the latest and correct information as required under Bye-law 8.8 (iv) of the Affiliation Bye-laws of the Central Board of Secondary Education.

भारतीय गैर न्यायिक



असम ASSAM

L 704361

4. I say that the above School is collecting the fees from the Students and disbursing the expenses like salary etc. to its employees through the Electronic Clearing Service of Banks, as prescribed by the Circular dated 10th December, 2016 issued by the Board regarding Promotion of Cashless Transactions in the CBSE Affiliated Schools.

DEPONENT

(Signature)

[Handwritten Signature]
27.06.2023

Principal/प्राचार्य
KV Khanapara/केवी खानापारा
Guwahati-22/गुवाहाटी-22

VERIFICATION

I, the above named deponent do hereby verify that statements made in paragraphs 1 to 4 of the above affidavit are all true and correct to my knowledge and belief. No part of it is false and nothing material has been concealed there from.

Verified at 10:00 AM on this the Tuesday day of 27/06/2023.

DEPONENT

(Signature)

[Handwritten Signature]
27.06.2023
Principal/प्राचार्य
KV Khanapara/केवी खानापारा
Guwahati-22/गुवाहाटी-22



STATE PUBLIC HEALTH LABORATORY, ASSAM
BAMUNIMAIDAM, GUWAHATI-781021

Website: www.sphlassam.org

Email: foodanalyst@sphlassam.org

Office Contact No. +91 7099015100

No.VI.-25/2023/ 1631-32

Dated Guwahati, the 30/03/2023

From: Sri Anupam Gogoi,
Food Analyst to the Govt. of Assam,
Bamunimaimam, Guwahati-21

To: Kendriya Vidyalaya Khanapara, Guwahati, Add. Jawahar Nagar, Guwahati,
Assam- 781022

Sub: Report of Analysis as per Food Safety and Standards Act, 2006.

Sir,

I am to send herewith the analysis report of Water sample bearing Sample ID: Chem. 192/23, that this sample contains two reports one with Parameters under NABL Scope and other with Parameters which is not under NABL Scope. The final decision should be taken taking into consideration of opinion of both reports.

(A. Gogoi)

Food Analyst to the Govt. of Assam
Bamunimaidam, Guwahati-21

Dated Guwahati, the 29/03/2023

1. Sh. Shishir Roychowdhary
2. Sh. N. Rabha

22.06.2023



অসম চৰকাৰ



GOVERNMENT OF ASSAM

STATE PUBLIC HEALTH LABORATORY, ASSAM
BAMUNIMAIDAM, GUWAHATI-781021

TC-10845

Email: foodanalyst@sphlassam.org
Office Contact No. +91 7099015100Website: www.sphlassam.orgNo.VII.-159/2023/ 1631, Dated Guwahati, the 30/09 /2023**REPORT ON ANALYSIS OF DRINKING WATER (IS 10500:2012)**

Customer Name & Address : Kendriya Vidyalaya Khanapara, Guwahati, Add. Jawahar Nagar, Guwahati, Assam- 781022

Your No. : -

Sample Description : Deep boring tube well

Place of Collection : Kendriya Vidyalaya Khanapara,

Date of Receipt : 14.03.2023

Date of Analysis : Start: 23.03.2023 End: 23.03.2023

Sl. No.	Parameter	Nature of method used	Result	Desirable limit
1	Chloride (as Cl), mg/l	FSSAI Manual 2016, Sec A,II, 5.A. Pg- 76	2.7	250 (Max)
2	Magnesium (as Mg), mg/l	FSSAI Manual 2016, Sec A,II, 6.1. Pg- 85	7.8	30 (Max)
3	pH Value	FSSAI Manual 2016, Sec A,II, 3.A. Pg- 17	6.6	6.5 to 8.5
4	Residual free Chlorine, mg/l	FSSAI Manual 2016, Sec A,II, 11.A. Pg- 116	Nil	0.20 (Max)
5	Alkalinity as (as HCO ₃), mg/l	FSSAI Manual 2016, Sec A,II, 9. Pg- 104	64.8	200 (Max)
6	Total Calcium (as Ca) mg/l	FSSAI Manual 2016, Sec A,II, 14.A. Pg- 14	9.5	75 (Max)
7	Total Dissolved Solids, mg/l	FSSAI Manual 2016, Sec A,I,6.A. Pg-29	54	500 (Max)
8	Total hardness (as CaCO ₃), mg/l	FSSAI Manual 2016, Sec A,II, 8.A. Pg- 99	56.1	200 (Max)





অসম চৰকাৰ



STATE PUBLIC HEALTH LABORATORY, ASSAM
BAMUNIMAIDAM, GUWAHATI-781021



TC-10845

Email: foodanalyst@sphlassam.org
Office Contact No. +91 7099015100

Website: www.sphlassam.org

Note: Results are only with respect to the items tested. All tests are performed in the laboratory location only. Results apply to the sample as received.

Opinion: The sample is chemically satisfactory with respect to the tests carried out.



Dated Guwahati, the 29/03/2023

(A. Gogo)

Food Analyst to the Govt. of Assam
Bamunimaidam, Guwahati-21

The report shall not be reproduced except in full, without the approval of the laboratory.
---End of Report---



STATE PUBLIC HEALTH LABORATORY, ASSAM
BAMUNIMAIDAM, GUWAHATI-781021

Email: foodanalyst@sphlassam.org
Office Contact No. +91 7099015100

Website: www.sphlassam.org

No.VII.-159/2023/ 1632, Dated Guwahati, the 30/03 /2023

REPORT ON ANALYSIS OF DRINKING WATER (IS 10500:2012)

Customer Name & Address : Kendriya Vidyalaya Khanapara, Guwahati, Add. Jawahar Nagar, Guwahati, Assam- 781022

Your No. : -

Sample Description : Deep boring tube well

Place of Collection : Kendriya Vidyalaya Khanapara,

Date of Receipt : 14.03.2023

Date of Analysis : Start: 23.03.2023 End: 23.03.2023

Sl. No.	Parameter	Nature of method used	Result	Desirable limit
1	Apperarance	-	Clear	Clear
2	Odour	FSSAI Manual 2016, Sec A,I,2. Pg-15	Unobjectionable	Unobjectionable
3	Taste		--	Agreeable
4	Turbidity	FSSAI Manual 2016, Sec A,I, 5.1. Pg-26	0	5 (Max)
5	Iron (as Fe), mg/l	FSSAI Manual	0.02	0.30 (Max)
6	Fluoride (as F), mg/l	FSSAI Manual 2016, Sec A,II, 7.1.A. Pg-90	0.8	1.0 (Max)
7	Manganese (as Mn), mg/l	FSSAI Manual	Nil	0.10 (Max)
8	Sulphate (as SO ₄), mg/l	FSSAI Manual 2016, Sec A,II, 10.A. Pg- 107	Nil	200 (Max)
9	Nitrates (as NO ₃), mg/l	FSSAI Manual	Nil	45 (Max)

Note: Results are only with respect to the items tested. All tests are performed in the laboratory location only. Results apply to the sample as received.





GOVERNMENT OF ASSAM

**STATE PUBLIC HEALTH LABORATORY, ASSAM
BAMUNIMAIDAM, GUWAHATI-781021**

Email: foodanalyst@sphlassam.org


Office Contact No. +91 7099015100

Website: www.sphlassam.org

Opinion: The sample is chemically satisfactory with respect to the tests carried out.



Dated Guwahati, the 29/03/2023


(A. Gogoi)
Food Analyst to the Govt. of Assam
Bamunimaidam, Guwahati-21

**The report shall not be reproduced except in full, without the approval of the laboratory.
---End of Report---**